




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04N 7/088, G06F 17/30		A2	(11) International Publication Number: WO 97/02702
			(43) International Publication Date: 23 January 1997 (23.01.97)
(21) International Application Number: PCT/IB96/00604		(81) Designated States: AU, BR, CA, CN, JP, KR, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(22) International Filing Date: 21 June 1996 (21.06.96)			
(30) Priority Data: 95201806.7 3 July 1995 (03.07.95) EP (34) Countries for which the regional or international application was filed: NL et al. 95202306.7 25 August 1995 (25.08.95) EP (34) Countries for which the regional or international application was filed: NL et al.		Published Without international search report and to be republished upon receipt of that report.	
(71) Applicant: PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).			
(71) Applicant (for SE only): PHILIPS NORDEN AB [SE/SE]; Konbygatan 7, Kista, S-164 85 Stockholm (SE).			
(72) Inventors: KRETZ, Christoph; Mondweg 5/2/11, A-1140 Vienna (AT); CAUTLEY, Hugh; Munchenstrasse 13/1/4, A-1120 Vienna (AT).			
(74) Agent: SCHMITZ, Herman, J., R.; Internationaal Octrooibureau B.V., P.O. Box 220, NL-5600 AE Eindhoven (NL).			

(54) Title: TRANSMISSION OF AN ELECTRONIC DATABASE OF INFORMATION



(57) Abstract

Method and arrangements for transmitting and receiving an electronic database, e.g. an electronic television programme guide. The database includes a plurality of programme items. In order to assist the user in retrieving the items of interest, a menu structure is transmitted as well. The menu structure renders it possible to access the database in various ways. Rather than including programme items (such as known form teletext systems), the transmitted menus refer to programme items. Where necessary, references can be made to programme information transmitted by different TV stations.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

Transmission of an electronic data base of information.

The invention relates to a method of transmitting an electronic database of displayable information items to a receiver. More in particular, the invention relates to the transmission of electronic television program guides. The invention also relates to a transmitter and a receiver.

5

A known method and arrangement for transmitting an electronic database of information items to a television receiver is generally known as teletext. Each of a plurality of teletext pages is an information item by itself or may comprise a plurality of information items, e.g. an overview of television programmes scheduled for a certain period
10 of time. In addition thereto, menu pages are transmitted so as to assist the user in retrieving the information. Each menu page comprises menu items and page numbers of the relevant teletext pages. The user retrieves a particular information page of interest by reading its page number from a menu page and pressing said number on a keypad or, as disclosed in US Patent 4,992,871, by positioning a cursor on the page number and pressing an OK button. A
15 plurality of menu pages may be transmitted to form a tree structure.

The transmission of electronic television video guides, whether or not in the form of teletext pages, is a feature of growing commercial importance. Some TV stations (e.g. Pro7 in Germany) transmit TV guide information related to a plurality of TV stations via teletext. Teletext pages comprise the television programmes scheduled for a day or a part
20 thereof. However, a user may not only be interested in the television programs of a certain TV station scheduled for broadcast in a certain period of time. He may also want to know which TV programs are currently broadcast by the receivable TV stations, or to have an overview of all programs in a certain category (e.g. news). For that purpose, some TV stations also transmit a further teletext page showing all programs currently being broadcast
25 by a plurality of TV stations. A problem thereof is that the further teletext page requires additional transmission capacity. The information items concerned are plurally transmitted. Namely, each programme item is mentioned once on the page showing all programs of one TV station, once on a page showing all programmes being broadcast now, once on a page showing all programmes of a certain category, etc.

It is an object of the invention obviate the above mentioned problem. It is a further object of the invention to provide a method of transmitting an electronic data base, which renders it possible for a television receiver to make the plurality of items accessible in an attractive and userfriendly manner, and to present them in an attractive manner.

5 According to the invention, the method comprises the step of separately transmitting the plurality of information items and menu structure data defining the transmitted information items to be displayed. Herewith is achieved that the broadcaster can present the information items in a plurality of different ways, whereas the information items themselves need to be transmitted and stored only once. For example, today's "Nine o'clock
10 news" on BBC1 can be mentioned on a screen showing today's BBC1 program, on a screen showing all programmes being broadcast now, as well as on a screen showing all news programmes. Further, by separately transmitting the menu structure, a large amount of local processing power can be dispensed with in the receiver. The invention renders it also possible for TV stations to promote themselves as stations providing the TV guide feature.
15 The appearance of menus is broadcaster defined and offers the opportunity to include commercials in the menus.

In a further embodiment of the invention, data defining a property of information items is associated with said items, and wherein the menu structure data comprises attribute data defining a condition which the property of information items to be
20 displayed needs to match. The transmitter now needs to include in the transmitted menu structure only a search criterion (e.g. the category "news"), and the receiver autonomously displays in response thereto all information items matching said criterion.

Fig.1 shows a system comprising a transmitter and a receiver according to
25 the invention.

Fig.2 shows a flowdiagram of steps of transmitting sections of the database by the transmitter of Fig.1.

Figs. 3 and 4 show examples of different motion phases of subpictures for display by the receiver shown in Fig.1.

30 Fig.5 shows a plurality of menus to illustrate the operations of the transmitter and receiver of Fig.1.

Fig.6 shows a flow chart of operations carried out by a microprocessor shown in Fig.1.

Fig.1 shows a system comprising a transmitter 1 and a receiver 2 according to the invention. The transmitter comprises an editing terminal 11 for creating and updating a database of information, a processor 12, a memory 13 for storing the database, and a page composer 14 for packing the stored database into teletext pages TXT. The transmitter further comprises a teletext inserter 15 for inserting the teletext pages in the flyback period of a composite video signal CVBS. The thus obtained television signal is applied to a modulator 16 for broadcast over a transmission medium 3.

The receiver comprises a tuner 21 for receiving the television signal. The received signal is directly applied to a television monitor 22 so as to display the television programme. The signal is also applied to a teletext data decoder 23 which is adapted to acquire selected teletext pages and to store them in a memory 24. A microprocessor 25 is connected to decoder 23 so as to apply the relevant page numbers, and is further connected to the memory 24 so as to process the information stored therein. The receiver further comprises a graphic generator 26 adapted to read a predetermined display segment of memory 24 and to generate an On-Screen-Display picture OSD defined by data stored in said memory segment. The OSD picture includes a cursor, the position of which is applied by the microprocessor in response to positioning signals from a remote cursor control device 27.

In practice, the receiver described above may take the form of a videorecorder. The videorecorder may have an embedded display device 22 or an output for applying the display signals CVBS and OSD to a separate display device 22 such as a television set.


Operation of the transmitter

The operation of the transmitter will now be described with reference to the transmission of an electronic TV programme guide. The invention, however, is not restricted to this application. The programme guide items as well as data for accessing and presenting the programme guide at the receiver end are created by editorial staff using editing terminal 11. The information is processed by processor 12 and stored in various segments of memory 13. Each memory segment defines an amount of data which will further be referred to as a section of the database. The page composer 14 packs each section in one or more teletext pages. As the teletext pages are not intended for direct display, they have hexadecimal page numbers. Data which is most sensible data to transmission errors, such as headers, dates and times, string lengths, teletext page numbers, etc., are protected by a

Hamming code. The first teletext page has a predetermined page number (e.g. 3A0) and contains a table of content. This is a list of teletext page numbers carrying the data stream. If the table of content does not fit in one teletext page, a reference to subsequent teletext pages is made.

Fig.2 shows a flowdiagram of transmission steps executed by the transmitter. Each step includes the transmission of a section of the database, i.e. the transmission of a respective segment stored in memory 13. Each section relates to a certain functionality and comprises data items such as parameters, values, text strings, attributes, etc. In a step 31 a Basic Info section is transmitted, comprising basic data such as date and time and some other general data so as to ease the management of memory in a television receiver. In a step 32 a Layout Info section is transmitted, defining a variety of design tools for composing the electronic programme guide. In a step 33 a Graphics section is transmitted in which a plurality of graphic subpictures is defined for display on screen. In a step 34 a Table Info section is transmitted, defining a collection of properties which may be associated with information items. In a step 35 a Menu Info section is transmitted, conveying the menu structure data for accessing the program guide. In a step 36 a Programme Info section is transmitted for building up the TV programme guide database. The transmission of the database ends with the transmission, in a step 37, of an End-of-Protocol code. The database is transmitted regularly, e.g. a few times per day.

20 The sections will now be described in more details. As not all section are equally essential to the invention, some sections will only briefly be discussed. In the following description, sections are shown in double framed boxes. A collection of data items in a section may constitute a block. Blocks are shown in single framed boxes. A ++ symbol is placed next to a data item or block if it is repeatedly transmitted. For example, a section:



25 comprises three data items of which the block comprising *item_2* and *item_3* may be repeated. Each section starts with a header. This is a code identifying the section and indicating its beginning. The type of the data items (such as byte, character, string) is not given here because it is not essential to the invention.

The section Basic Info

This section comprises basic data such as date and time and some other general data so as to ease the management of memory in a television receiver. The Basic Info section has the following format:

<i>BASIC_HEADER</i>
<i>date</i>
<i>time</i>
<i>no_programmes</i>
<i>no_menuitems</i>
<i>no_criteria</i>
<i>no_graphics</i>
<i>poolsize</i>

- 5 Herein, *date* and *time* represent the date and time of issue of the database. *No_programmes* is the number of programmes contained in the Programme Info section. *No_menuitems* is the number of menu items in the Menu Info section. *No_criteria* is the number of criteria in the Table Info section. *No_graphics* is the total number of graphics, including the logos defined in the Table Info section. *Poolsize* is the total size of all the titles, programme infos and
- 10 descriptions and criteria names.

The section Layout Info

This section gives a variety of design tools to the supplier of the electronic programme guide. The format of this section is:

<i>LAYOUT_HEADER</i>		
<i>no_of_colours</i>		
<i>colour++</i>		
<i>screenize</i>		
<i>no_of_arrgmus</i>		
<i>no_of_levels</i>		
<i>level</i>		
<i>layout_data</i>	++	++


- 15 *No_of_colours* and *colour++* define the length and contents, respectively, of a colour look up table. By default, a standard teletext colour table is used. The rest of the section specifies the appearance of the various menus on screen. *Screenize* gives the full screen size in pixels, in horizontal and vertical direction. Because the menus are organized in a tree structure, each menu is assigned a *level* of which there are *no_of_levels* available. As will be

described later, two menus of different levels may be displayed simultaneously. This is referred to as an "arrangement". The number of arrangements is specified by *no_of_arrgmnts*. The item *layout_data* is a block of data defining features such as height, font, colours, position, spacing, etc., of headlines and menu items of the menu.

5

The section Graphics

In this section, one or more graphic subpictures (hereinafter also referred to as "graphics" for short) are defined which can be displayed on screen. The general format of this section is:



- 10 Herein, *no_grphcs* gives the number of graphics defined in the section. *Grphc_no* is an index number for invoking the subpictures. The data item *graphic* itself is a block of data defining a rectangular subpicture. Four types of graphics are being distinguished in this protocol: bitmaps, symbols, dynacons, and text strings. A bitmap is the general term for a graphic. It is a rectangular matrix of pixels forming a subpicture. Symbols and dynacons are bitmaps as
- 15 well, but with special conventions. Symbols are intended for use within text strings. A text including a symbol comprises an escape character followed by *graphic_no* to invoke the symbol. Dynacons ("dynamic icons") consist of a predefined sequence of 2 or more bitmaps. Each bitmap represents one motion phase of the dynacon. By cyclically displaying said motion phases, the viewer sees one bitmap after the other, which becomes manifest as a
- 20 simple animation of the subpicture. The period of time during which each phase is to be displayed can be fixed in the receiver, or may be transmitted as a data item in the section. A dynacon with one single phase is a symbol. The phases "overload" the colour table, per phase there is one complete colour table as common from a bitmap. Dynacons can be used like symbols. Figs. 3 and 4 show examples of dynacons. The two motion phases shown in
- 25 Fig.3 give an impression of blinking eyes, for example, to draw the user's attention to a special item on screen. The two motion phases shown in Fig.4 give an impression of flapping wings, for example, to be associated with a television programme on birds.

Bitmaps, symbols and dynacons may be encoded either pixel-by-pixel or by using a run-length code. Both the type of graphics and the method of encoding are defined by the section header which has a plurality of possible values for this purpose.

For pixel-by-pixel encoded bitmaps, symbols and dynacons, the format of the block *graphic* is:

```
bits_per_colour
colour_table
x_tlcorner
y_tlcorner
x_xins
y_xins
pixel_block
```

Herein, *bits_per_colour* defines the number of colours which can be used, and *colour_table* is an array of three values defining each colour in terms of red, green and blue levels. The parameters *x_tlcorner* and *y_tlcorner* define the position of the bitmap on screen in terms of a character location. The parameters *x_xins* and *y_xins* define the size of the bitmap on the screen in pixels. *Pixel_block* defines the colour of each pixel in terms of an index to the colour look up table in a predetermined scanning order. Every colour index consists of *bits_per_colour* bits.

For run-length-encoded bitmaps, symbols and dynacons, the format of the block *graphic* is:

```
bits_per_colour
colour_table
x_tlcorner
y_tlcorner
x_xins
y_xins
pblsize
pixel_block
```

The same definitions as above apply. The parameter *pblsize* defines the size of *pixel_block* which now accommodates a plurality of run-length codes. Methods for run-length coding graphic images are generally known.

The section Table Info

The Table Info section defines a collection of properties (hereafter referred to as criteria), which may be associated with information items. The criteria are to

be defined by the information provider, but they have to be matched one of the meta criteria types laid down here. Every section creates one table of criteria.

TABLE_HEADER	
<i>type</i>	
<i>no_of_items</i>	
<i>item_no</i>	
<i>item</i>	++

Every *type* defines a list of criteria as defined in the table below. A programme may have a specific criterion. If so, it appears in a list of programmes fulfilling said criterion.

- 5 *No_of_items* gives the length of the list. *Item_no* and *item* always appear together. A criterion referenced by *item_no* is called as stated by *item*. In case of ratings, which do not have *items*, the *item* string is an empty one. In case of broadcaster logos, the *items* are constructed as defined in the Graphics section.

type	meta criterion
0	broadcaster
1	broadcaster logos
2	language
3	keyword
4	category
5	rating
10+i	sub category [i]

10 The section Menu Info

The section Menu Info conveys the menus to access the program guide and can also be used to transport non-programme information, e.g. news or help. It defines a hierarchically structured tree of charts, each chart consisting of a headline and several items. Each item may expand to a new, more detailed sub chart. An example of the menu structure

will be given later. The transmission format of the section Menu Info is shown in the following Table:

<i>MENU_HEADER</i>	
<i>no_of_items</i>	
<i>item_no</i>	
<i>level</i>	
<i>menu_item</i>	
<i>no_of_attributes</i>	
<i>attribute ++</i>	
	++

Item_no is an item number assigned to a *menu_item* in the range from 0 up to and inclusive *no_of_items*-1. *Level* is an unsigned number, telling how deep in the tree the menu comprising this item lays. *Menu_item* is a string of characters representing an information item. The first *menu_item* at a given level of a menu is the headline of said menu.

Basically, the text string defined by *menu_item* is to be displayed as such as a menu item on screen. However, if its first character is a special character, *menu_item* represents a reference to a string stored elsewhere in a television receiver. In the current example of a television program guide, *menu_item* may refer to a piece of text in a particular teletext page, or to a programme transmitted in the Programme Info section still to be described.

A reference to teletext is indicated by the special first character "@" and further comprises successively; the number of the relevant TV station in a broadcaster table; the teletext page number (which may include a subcode); row and column number of the position in the teletext page where the text to be displayed starts; and row and column number of the position in the teletext page where the text ends.

A reference to a programme string transmitted in the Programme Info section is indicated by the special first character "^" and further comprises the number of the program in that section.

If *menu_item* is a criterion (e.g. a category), it will expand to a list of (pre-)sorted programme information. If *menu_item* represents the Fast Finder or any other self-expanding item, a title is placed in the headline (the first *menu_item* of the menu) and a corresponding attribute added.

Each *menu_item* in the section may have zero, one or more *attributes* assigned to it, the number of attributes being given by *no_of_attributes*. An attribute is a block of data comprising a header defining the attribute as well as the kind and format of the

subsequent data. Some attributes enhance or extend the menu item, others define a criterion to be applied to the stored information items so as to obtain a list of information items fulfilling said criterion. Some examples of attributes will now be described.

Attributes INS_DATE and INS_TIME specify that the current date and/or
5 time are to be inserted in the menu item. A specification of the display format (e.g. "14:22" or "2.22 a.m.") may be included.

An attribute GRPHCS specifies the *graph_no* of a graphic subpicture to be displayed. If the attribute is connected to a menu headline (the first *menu_item* at a given *level*), the subpicture is to be displayed during the time that the relevant menu is displayed.
10 If the attribute is connected to selectable menu items, the subpicture pops up when the cursor touches that item on screen.

An attribute SORT_DATE specifies an offset (0=today, 1=tomorrow, etc.) with respect to the date of issue of the programme guide as defined in the section Basic Info. The attribute constitutes an instruction for the television receiver to search and display
15 all programmes fulfilling the criterion.

An attribute SORT_TIME specifies a time interval and instructs the receiver to search and display all programmes scheduled for broadcast within said interval. A special code designates the current time to be the start of the interval.

An attribute CRITERION searches the programmes fulfilling a criterion
20 other than date and time. The attribute defines the type, number and index of the corresponding criteria table (the values are defined in the section Table Info). The attribute may be added to programme or menu items. If attached to a programme item, it defines a criterion of that programme. If it is attached to a menu item, it forces a menu to be made up of programmes which have that criterion attached to.

25 An attribute METACRITERION defines only the type of the corresponding criteria table. This attribute may be added to menu items only, thus defining a menu composed of all items of that table type. If type is criterion, then any item of the constructed menu expands to the corresponding table of subcategories. If it is not a criterion, then any item expands to a selection of programmes.

30 An attribute LINKEDITEM establishes a link between a menu item and other displayable information so as to display both simultaneously. Some possible links (e.g. to graphic subpictures) have already been mentioned. The attribute can be added to menu items as well as programmes (see section Programme Info). The display area where to put

the linked element on screen is specified. The linked item is displayed whenever the item with the attribute is the only one on the screen or whenever the cursor touches it.

Links can be established to an element of a different section or to a (piece of a) teletext page.

A link can also by itself define a text string to be displayed. This is defined by a code

- 5 immediately following the attribute header. The code is followed by further data. A possible data format is shown below.

	code	further data
link including string	0	string
link to a teletext service	1	<i>station_no, page_number, subcode, row_spec, col_spec</i>
link to section Graphics	2	<i>graphic_no</i>
link to section Table Info	3	<i>type, item_no</i>
link to section Menu Info	4	<i>item_no</i>
link to section Programme Info	5	<i>programme_no</i>

- An attribute MULTILEVEL instructs the receiver to display two levels of a menu simultaneously on one screen. The attribute is added to the headline of a menu at a given level, and specifies whether the next higher level or the next lower level is to be
10 displayed.

The section Programme Info

- Whereas the section Menu Info is to construct a menu tree to navigate through the database, the section Programme Info is to build up the programme database.
15 The section conveys all programmes, which become available within the program guide, and contains all the necessary information needed for pre-sorting. The programme related

functions (as expanding to programme description, viewing, timer programming etc.) do not imply an explicit option. The format of the section is:

PROGRAMME HEADER	
<i>programme_no</i>	
<i>date_offset</i>	
<i>station_no</i>	
<i>start_time</i>	
<i>stop_time</i>	
<i>vps_time</i>	
<i>title</i>	
<i>prog_info</i>	
<i>prog_descr</i>	
<i>no_prog_options</i>	
<i>prog_option</i> ++	++

Herein, *programme_no* is a program number. If there is one programme info section, this number goes from 0 to *no_programmes-1* inclusive (*no_programmes* is defined in the section Basic info). *Date_offset* is the offset from the day of issue of the programme guide to the day of transmission of the programme, e.g. 0=today, 1=tomorrow, etc. *Station_no* is an index of the station in the broadcaster table defined in the section Table Info. The parameters *start_time*, *stop_time* and *vps_time* speak for themselves. In order to extend a day's scope to the early morning, hours may go up to 30 (=24+6).

- 10 The items *title*, *prog_info* and *prog_descr* are strings. They may also identify a reference to different programme items, using the mechanism explained hereinbefore with respect to menu items. If *title* identifies a reference, a programme is repeated at a different time or on a different station unless *prog_info* or *prog_descr* are not empty. If any of the items is a string and one or two of them are references, only the string
- 15 with reference has to be copied from the referenced programme. For instance, if a programme is repeated but the identical programmes are to be displayed with different advertisements in *prog_info*, both *title* and *prog_descr* must take the form of the reference. If *title* is a reference to a teletext string including start- stop- and VPS-times according to the VPT-standard, a special code is used. Another special code is used if there is no VPS
- 20 available.

The parameter *no_prog_options* specifies the number of subsequent *prog_options*. Program options in the section Programme Info have the same function, and are likewise encoded, as attributes in the section Menu Info.

Example of a menu structure

An example of the transmission of a menu structure will now be given. Fig.5A shows a main menu (level 0) to be displayed initially. This menu comprises a headline 100 (e.g. the string "MAIN MENU"), a first menu item 101 (e.g. "TV Guide"), a second menu item 132 ("FastFinder") and a third menu item 150 ("User's Guide"). The image further includes a subpicture 201 which provides a brief explanation of the menu item to which the cursor is currently pointing. The example also illustrates that the invention can also be used to distribute straightforward text for the mere purpose of consultation ("User's Guide") or for setting up a personal database ("FastFinder"). The latter refers to a system for keeping a personal database of television programmes recorded on VCR tapes. The relevant data in the section Menu Info for defining the screen of Fig.5A is:

```

item_no=100, level=0, item="MAIN MENU", no_of_attributes=0;
item_no=101, level=0, item="TV Guide", no_of_attributes=1,
    attribute={LINKEDITEM,2,...};
item_no=132, level=0, item="FastFinder", no_of_attributes=2,
    attribute++={LINKEDITEM,2,...},{ATTR_FF};
item_no=150, level=0, item="User Guide", no_of_attributes=1,
    attribute={LINKEDITEM,2,...};

```

Only the items of the relevant menu are mentioned. Note the peculiar way of assigning item numbers. The items are consecutively numbered, starting with the headline (100) and first item (101) of the main menu at level 0, then the headline (102) and first item (103) of the menu at level 1, etc. The second item of the menu at level 0 thus obtains a number (132) following the last item of all the menus connected to the first item. The numbering starts with *item_no*=0 but, for reasons of clarity, the items are here given the same number as the reference numerals shown in Fig.5.

To each item of the menu of Fig.5A, an attribute {LINKEDITEM,2,...} is attached. As explained before, this attribute invokes the associated subpicture 201 to be displayed when the cursor touches (not: selects) the item. The attribute {FF} in the example defines a special function (FastFinder) to be executed by the receiver when the corresponding item is selected.

Fig.5B shows a submenu (level 1) to be displayed upon selecting the first menu item 101 of the main menu. The menu comprises a headline 102 ("TV Guide"), a menu item 103 ("Now on TV"), a menu item 110 ("Overview"), and a subpicture 202

showing a commercial for example. The relevant data in the section Menu Info for defining the screen of Fig.5B is:

```

item_no=102, level=1, item="TV GUIDE", no_of_attributes=1,
                    attribute={GRPHCS,...};
item_no=103, level=1, item="Now on TV", no_of_attributes=0;
item_no=110, level=1, item="Overview", no_of_attributes=0;

```

The attribute {GRPHCS,...} attached to the headline refers to subpicture 202 to be displayed.

Because this attribute is attached to the headline rather than a menu item, the subpicture

5 remains on screen as long as this menu is displayed, independent of the cursor position.

Fig.5C shows a submenu at level 2, to be displayed upon selecting menu item 103 in Fig.5B. It comprises a headline 104 ("NOW ON TV - 19:38") and programme items 105-109, each representing a television programme being broadcast now. The relevant data in the section Menu Info is:

```

item_no=104, level=2, item="NOW ON TV - ", no_of_attributes=1,
                    attribute={INSTIME,...};
item_no=105, level=2, item="@..", no_of_attributes=0;
item_no=106, level=2, item="@..", no_of_attributes=0;
item_no=107, level=2, item="@..", no_of_attributes=0;
item_no=108, level=2, item="^..", no_of_attributes=0;
item_no=109, level=2, item="^..", no_of_attributes=0;

```

10 Herein, the attribute {INSTIME,...} adds the current time (19:38) to the headline. The first character @ of a menu item indicates a references to a string in a teletext page. This may be a teletext page transmitted by a different television transmitter. The first character ^ of a menu item indicates a reference to a string in the Programme Info section.

Fig.5D shows the screen to appear upon selecting menu 110. Besides the
 15 headline 111 ("OVERVIEW"), this screen displays two submenus simultaneously. A first submenu comprising items 112 ("Today") en 122 ("Tomorrow") has the same level (=2) as the menu of Fig.5C. A second submenu comprising items 113 ("Morning"), 116 ("Afternoon") and 119 ("Evening") is a level 3 menu. The first submenu is active. The

second submenu becomes active if one of the items 112 or 122 is selected. The relevant data in the section Menu Info is:

```

item_no=111, level=2, item="OVERVIEW", no_of_attributes=1,
    attribute={MULTILEVEL,...};
item_no=112, level=2, item="Today", no_of_attributes=0;
item_no=113, level=3, item="Morning", no_of_attributes=0;
item_no=116, level=3, item="Afternoon", no_of_attributes=0;
item_no=119, level=3, item="Evening", no_of_attributes=0;
item_no=122, level=2, item="Tomorrow", no_of_attributes=0;
item_no=123, level=3, item="Morning", no_of_attributes=0;
item_no=126, level=3, item="Afternoon", no_of_attributes=0;
item_no=129, level=3, item="Evening", no_of_attributes=0;

```

The simultaneous display of two menus at different levels is controlled by the attribute MULTILEVEL (see also the description of the section Menu Info).

- 5 Fig.5E shows a level 4 menu to appear upon selecting today's evening programmes (item 119 in Fig.5D). The image also includes a subpicture 203 with a brief preview of the program which the cursor is currently touching. Like a linked item, it is automatically replaced by another as the cursor moves over the programme items. The relevant data in the section Menu Info is:

```

item_no=114, level=4, item="EVENING", no_of_attributes=0;
item_no=115, level=4, item="", no_of_attributes=2,
    attribute++={SORT_DATE,0},{SORT_TIME,...};

```

- 10 Besides the headline, this menu comprises one menu item only. The attributes {SORT_TIME,...} and {SORT_DATE,0} attached to this menu item expand the item to a list of programme items transmitted in the Programme Info section. The video guide protocol prescribes that additional information *prog_info* to a programme *title* is to be displayed automatically. A special mechanism for enabling or disabling the display of subpicture 203
- 15 can thus be dispensed with.

- In the example above, the screens comprising television programme information, such as shown in Figs. 5C and 5E, constitute the leafs of the tree. It can be envisaged, however, to include further screens allowing the user to automatically set the timer of a videorecorder, to access detailed description of a television programme he is
- 20 interested in, or (in the case of electronic shopping) to automatically dial a predetermined telephone number and order a selected product.

Operation of the receiver

The operation is determined by a control program stored in a memory of microprocessor 25 (Fig.1). Fig.6 shows a flow chart of operations carried out by the microprocessor. In an initial step 41, the processor determines the sequence of teletext pages constituting the database. As already mentioned above, a predetermined page comprises the list of pages to be acquired. In the step 41, the processor further applies the relevant page numbers to the data decoder 23 (Fig.1). As each page arrives, the data accommodated therein are stored in memory 24 (Fig.1). The processor sorts the received data so as to store each section of the database in a corresponding segment of said memory. More in particular, the processor sorts all menu items if the Menu Info section in order of increasing *item_no*. During this process, the user may use the television receiver for other purposes, e.g. watching a television programme. The process may also be carried out in a standby state of the receiver, e.g. during the night.

A step 42 is executed when the user desires to consult the television program guide. In this step, the processor searches, in the memory segment holding the Menu Info section, all items relevant to the menu to be displayed. For the initial main menu, this step is equivalent to searching all items having *level*=0. For menus to be displayed after selection of an item having *item_no*=n, the step 42 comprises the substeps of: searching the item having *item_no*=n+1; reading the level L associated therewith; and searching all subsequent items having level L until an item having a level lower than L is found. For example, if item 101 at level 0 (Fig.5A) is selected, the processor searches all subsequent items at level 1 (i.e. 102, 103 and 110) until an item at level 0 is found again (i.e. item 132).

In a step 43, the menu is composed and displayed using the display parameters such as text font, height, spacing, colour, etc. as defined in the Layout Info section stored in a predetermined segment of memory 24 (Fig.1). The processor determines for each *menu_item* whether it starts with a ^ or @ character. In case of a ^ character, the text string to be displayed is to be read from the Programme Info section. In case of a @ character, the text string to be displayed is to be read from a teletext page. This may be a teletext page transmitted by a different TV station. The processor also checks whether an attribute {GRPHCS} is associated with the headline. If that is the case, the relevant subpicture is read from the graphics segment of memory 24 (Fig.1) and written in the display segment of the memory (c.f. Fig.5B). The processor further checks the presence of an

attribute {MULTILEVEL} so as to decide whether two menus have to be displayed simultaneously on screen (c.f. Fig.5D).

In a step 44, the processor controls the position of a cursor displayed on screen in response to cursor positioning signals from remote cursor control device 27 (Fig.1). In a step 45, the processor determines whether or not the cursor position touches a menu item displayed on screen. If that is not the case, the processor returns to step 44. If the cursor touches a menu item, the processor checks in a step 46 whether an attribute {LINKEDITEM} is associated with said menu item. If such an attribute is present, a step 47 is carried out in which the subpicture referred to is read from the graphics segment of memory 24 (Fig.1), and displayed (c.f. Fig.5A). If the cursor touches a programme item rather than a menu item, the processor displays *prog_info* associated therewith (c.f. Fig.5E).

In a step 48, the pressing of an OK button on the remote cursor device is detected. As long as OK is not pressed, the loop of steps 44-48 is cycled through so as to keep track of the cursor position and, if applicable, to change the subpicture. If OK is pressed, the processor returns to step 42 so as to collect the menu items constituting a new menu to be displayed.

It is noted that the electronic database and associated menu structure is not necessarily to be accommodated in the vertical flyback period of a broadcast television signal. The data can also be transmitted via a telephone network or computer network (e.g. Internet), or distributed on storage media such as CDROM or computer diskettes. Accordingly, the receiver may take the form of a data processing and display unit (e.g. a personal computer), provided with an appropriate interface circuit ("extension card") for receiving the data signals.

In summary, a method and arrangements for transmitting and receiving an electronic database, e.g. an electronic television programme guide, are disclosed. The database includes a plurality of programme items. In order to assist the user in retrieving the items of interest, a menu structure is transmitted as well. The menu structure renders it possible to access the database in various ways. Rather than including programme items (such as known form teletext systems), the transmitted menus refer to programme items. Where necessary, references can be made to programme information transmitted by different TV stations.

Claims

1. A method of transmitting an electronic database of displayable information items to a receiver, the method comprising the step of separately transmitting the plurality of information items and menu structure data defining the transmitted information items to be displayed.
- 5 2. Method according to claim 1, wherein data defining a property of information items is associated with said items, and wherein the menu structure data comprises attribute data defining a condition which the property of information items to be displayed needs to match.
3. Transmitter for transmitting an electronic data base of displayable
10 information items to a receiver, the transmitter comprising means for transmitting the plurality of information items and means for transmitting menu structure data defining the transmitted information items to be displayed.
4. Transmitter according to claim 3, wherein data defining a property of information items is associated with said items, and wherein the menu structure data
15 comprises attribute data defining a condition which the property of information items to be displayed needs to match.
5. Receiver for receiving an electronic data base of information items, the receiver comprising means for receiving the plurality of information items, means for receiving menu structure data defining the transmitted information items to be displayed, and
20 means for generating display signals representing a menu of information items identified by said menu structure data.
6. Receiver according to claim 5, wherein data defining a property of information items is associated with said items, and wherein the menu structure data comprises attribute data defining a condition which the property of information items to be
25 displayed needs to match, the receiver comprising means for searching the information items matching said condition.
7. Videorecorder comprising a receiver according to claim 5 or 6.

8. A signal representing an electronic database of displayable information items, separately comprising the plurality of information items and menu structure data defining the transmitted information items to be displayed.

9. A storage medium on which a signal according to claim 8 has been
5 stored.

1/4




FIG. 1

2/4




FIG. 2



FIG. 3



FIG. 4




FIG. 5

4/4





FIG. 6



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04N 5/445		(11) International Publication Number: WO 97/02702
A3		(43) International Publication Date: 23 January 1997 (23.01.97)
(21) International Application Number: PCT/IB96/00604		(81) Designated States: AU, BR, CA, CN, JP, KR, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(22) International Filing Date: 21 June 1996 (21.06.96)		
(30) Priority Data: 95201806.7 3 July 1995 (03.07.95) EP (34) Countries for which the regional or international application was filed: NL et al. 95202308.7 25 August 1995 (25.08.95) EP (34) Countries for which the regional or international application was filed: NL et al.		
(71) Applicant: PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).		
(71) Applicant (for SE only): PHILIPS NORDEN AB [SE/SE]; Kottbygatan 7, Kista, S-164 85 Stockholm (SE).		
(72) Inventors: KREITZ, Christoph; Mondweg 5/2/11, A-1140 Vienna (AT). CAUTLEY, Hugh; Munchenstrasse 13/1/4, A-1120 Vienna (AT).		(58) Date of publication of the international search report: 6 March 1997 (06.03.97)
(74) Agent: SCHMITZ, Herman, J., R.; Internationaal Octrooibureau B.V., P.O. Box 220, NL-5600 AE Eindhoven (NL).		

(54) Title: TRANSMISSION OF AN ELECTRONIC DATABASE OF INFORMATION



(57) Abstract

Method and arrangements for transmitting and receiving an electronic database, e.g. an electronic television programme guide. The database includes a plurality of programme items. In order to assist the user in retrieving the items of interest, a menu structure is transmitted as well. The menu structure renders it possible to access the database in various ways. Rather than including programme items (such as known form teletext systems), the transmitted menus refer to programme items. Where necessary, references can be made to programme information transmitted by different TV stations.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SS	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 96/00604

A. CLASSIFICATION OF SUBJECT MATTER

IPC6: H04N 5/445

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5404505 A (F.H. LEVINSON), 4 April 1995 (04.04.95), column 2, line 45 - column 3, line 25; column 4, line 50 - line 70; column 18, column 15, line 40 - line 65 ---	1-6,8,9
X	WO 9413102 A1 (IO RESEARCH PTY. LIMITED), 9 June 1994 (09.06.94), page 2, line 22 - page 3, line 10; page 8, line 2 - line 25; page 9, line 19 - line 24, page 10, line 25 - line 28, page 21, line 17 - line 25 ---	1-9
P,A	WO 9609721 A1 (TV GUIDE ON SCREEN), 28 March 1996 (28.03.96), abstract -----	1-9

☐ Further documents are listed in the continuation of Box C.
 ☒ See patent family annex.

* Special categories of cited documents:	"I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document but published on or after the international filing date	"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search	Date of mailing of the international search report
28 January 1997	30 -01- 1997
Name and mailing address of the ISA/ Swedish Patent Office Box 5055, S-102 42 STOCKHOLM Facsimile No. +46 8 666 02 66	Authorized officer Bengt Jonsson Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

Information on patent family members

28/10/96

International application No.

PCT/IB 96/00604

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
US-A-	5404505	04/04/95	AU-B-	654885	24/11/94
			AU-A-	2909092	07/06/93
			CA-A-	2121592	13/05/93
			EP-A-	0610367	17/08/94
			WO-A-	9309631	13/05/93
WO-A1-	9413102	09/06/94	AU-A-	5554694	22/06/94
			CN-A-	1092889	28/09/94
			EP-A-	0671103	13/09/95
			IL-D-	107762	00/00/00
			AU-A-	653491	29/09/94
WO-A1-	9609721	28/03/96	AU-A-	3681895	09/04/96
			US-A-	5559548	24/09/96